

## Attorney Docket No. 18133-099

#### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Peter A. Gottlieb et al.

Serial No.:

09/864,037

Filed:

May 23, 2001

For:

BATTERY COMMUNICATION SYSTEM

Examiner:

G. Toatley

Art Unit:

2836

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

### TRANSMITTAL LETTER

Enclosed herewith for filing in the above-identified patent application please find the following listed items:

- 1. Response to Notice of Drawing Inconsistency with Specification dated May 3, 2004 (3 pages); and
- 2. Return Postcard.

In connection with the foregoing matter, please charge any additional fees which may be due, or credit any overpayment, to Deposit Account Number 50-0311, Reference 18133-099. A duplicate copy of this letter is provided for this purpose.

Respectfully submitted,

Shane H. Hunter, Esq. (Reg. No.41,858)

Mintz, Levin, Cohn, Ferris, Glovsky and Popeo, P.C.

One Financial Center Boston, MA 021 11

Telephone 617/348-1765

Attorneys for Applicants

**Customer Number 30623** 

TRA 1924744v1

Date: June 1, 2004

6-03-04

Express Mail No. EV 328186042US Date of Deposit: June 1, 2004

Attorney Docket No. 18133-099

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

B/IFW

## Attorney Docket No. 18133-093

Applicants:

: Peter A. Gottlieb et al.

Serial No.:

09/864,037

Filed:

May 23, 2001

For:

**BATTERY COMMUNICATION SYSTEM** 

Examiner:

G. Toatley

Art Unit:

2836

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

# RESPONSE TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION DATED MAY 3, 2004

Sir:

In response to the Notice of Drawing Inconsistency With Specification dated May 3, 2004, please amend the application as follows.

Amendments to the Specification are reflected on page 2 of this paper.

Remarks begin on page 3 of this paper.